

Confidence in the built environment.

135 N. Pennsylvania, Suite 2800 Indianapolis, Indiana 46204 www.hwcengineering.com

ADDENDUM NO. 01

ISSUED: Thursday, October 23, 2025

PROJECT: City of Lawrence

Pendleton Pike Median Landscape

BID DATE: Wednesday, October 29, 2025 at 2:00 PM (local time)

The following addenda items modify, change, delete from or add to the requirements of the Contract Documents for this Project. The articles contained in this addendum take precedence over the requirements of the previously published Contract Documents. Where any article of the Project Specification or any detail of the Contract Documents is modified or deleted by the article contained in this addendum, the unaltered provisions of that article, paragraph, subparagraph, or clause shall remain in effect. This addendum shall be acknowledged on the bid form.



City of Lawrence Pendleton Pike Median Landscape Addendum No. 1 Page 2 of 2

GENERAL

1. N.A

PLANS

- Sheet L101 LANDSCAPE PLAN A+B Specification for SD in the plant schedule has been revised to PT 701 LET-IT-GROW GRASS.
- 2. Sheet L201 LANDSCAPE DETAILS Revise SEEDING NOTE as follows:

Under 'SEED MIX'. Revise Note 1 as follows:

 SEED MIX SHALL MATCH PT LAWN SEED MIX PT 701 LET IT GROW GRASS OR APPROVED EQUAL. SEED MIX SHALL CONSIST OF HARD FESCUE (FESTUCA TRACHYPYLLA), SHEEP FESCUE (FESTUCA OVINA), CHEWINGS FESCUE (FESTUCA RUBRA VAR COMMUTATA), CREEPING RED FESCUE (FESTUCA RUBRA) AND SLENDER CREEPING RED FESCUE (FESTUCA RUBRA). APPLY AT 300 LB/ACRE.

Under 'FERTILIZER. Revise entire section as follows.

- 1. FERTILIZER: COMMERCIAL GRADE STARTER FERTILIZER OF NEUTRAL CHARACTER, CONSISTING OF A FAST-AND SLOW RELEASE NITROGEN, 50 PERCENT DERIVED FROM NATURAL ORGANIC SOURCES OF UREA FORMALDEHYDE, PHOSPHOROUS, AND POTASSIUM IN THE FOLLOWING COMPOSITION:
 - 1.1 COMPOSITION: NITROGEN 18 PERCENT, PHOSPHOROUS 24 PERCENT, POTASSIUM 12 PERCENT
 - 2.1 FERTILIZER SHOULD BE APPLIED AT A RATE OF 140 LB/ACRE
- 2. FERTILIZER COMPOSITION NOTED ABOVE SHOULD BE APPLIED FOR INITIAL FERTILIZATION. CONTRACTOR TO OBTAIN A SOIL ANALYSIS OF EXISTING SOIL FROM A QUALIFIED SOIL-TESTING AGENCY WITH FERTILIZER RECOMMENDATIONS SPECIFIC TO THE EXISTING SOIL.

SPECIFICATIONS

1. N/A

ATTACHMENTS

1. None

END OF ADDENDUM NO. 1